

## **Total Calls for Service**

1-911 Hang Up  
3-Alarm-Business (False)  
2-Alarm-Residential (False)  
1-Burglary of a Building  
1-Criminal Mischief  
1-Evading Arrest  
2-Information Report  
1-Possession of a Controlled Substance  
1-Violation of State Vehicle Laws  
1-Wanted Person  
1-Welfare Concern

## **Calls of Interest**

**Offense: Evading Arrest/Wanted Person/Possession of a Controlled Substance**

**Date: 02.12.17**

**Time: 1701 hours**

**Location: 15600 blk San Pedro**

An officer was searching the area for a male who was known to have an active warrant for a Motion to Revoke Probation on a Criminal Trespass/Habitation Charge. The officer had information that the suspect may be hiding in drainage areas. Upon inspecting a drainage tunnel in that particular area, the officer located the male who appeared to be hiding inside the entrance to the drainage tunnel. The officer recognized the male from numerous photos that had been distributed as a result of multiple HCVPD burglary investigations of which the male was a suspect. The officer called for back-up so the arrest could be made. When other officers arrived, they approached the male and he began to flee the area on foot, running deeper into the tunnel. A resident located on Paseo Del Norte observed officers in the area and reported seeing a subject matching the description, exit the drainage tunnel near his father's residence and continue to run towards Paseo Del Norte. SAPD officers had been dispatched to the area to assist with searching for the male. While on Paseo Del Norte looking for the suspect, SAPD reported a resident on Caleta Beach seeing a subject matching our description jump his backyard fence. After several police agencies and a helicopter were used to find the suspect, he was finally in custody. He was found to be in possession of drugs. During his attempt to escape, the suspect tried jumping over an officer's car and broke his leg. The suspect was taken to the hospital where he had to have surgery for his broken leg.

**Offense: Burglary of a Building**

**Date: 02.14.17**

**Time: 0856 hours**

**Location: 15700 blk San Pedro**

An officer was dispatched to a local business for a burglary that took place overnight. The officer made the location and made contact with the store owner who reported that his store was burglarized overnight. The owner said his employee opened the store around 0830 and noticed that the store was cold and decided to turn on the heater. The employee then went to the conference room and noticed the store had been broken into. She quickly called police. The alarm company had called the owner around the hours of 0316 for a signal motion activation in the conference room and a safe vibration activation. The owner thought the alarm activation was because of severe weather in the area so police were not called. The burglar and entered the business through the roof and had stolen some jewelry. Evidence was gathered at the scene. This case is under investigation.

**Offense: Criminal Mischief**

**Date: 02.15.17**

**Time: 1657 hours**

**Location: 15700 blk San Pedro**

A business owner called to report a broken window. It appeared that someone had fired a pellet gun at the glass and caused the damage. It is not known when the damage had taken place.

Just a reminder from your Crime Prevention Section

If you would like a home inspection from our Crime Prevention officer, please call City Hall and ask for Officer Ben Richard to schedule an appointment.

If you need fingerprint cards taken you can have them done at City Hall during normal business hours.

Please remember the primary way to get a hold of the on duty officer is through the Bexar County Sheriff's Office at 210.335.6000.

Chief Morales

Please feel free to forward this e-mail to anyone you feel may be interested. Residents may sign up for e-mail updates at <http://www.hcv.org/emailsubscribe.htm> or by clicking the icon at the top of the main page at <http://www.hcv.org>. Your e-mail address is kept confidential and is not shared with anyone.